

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20020006484"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/06 15:12
S2	2	("4264668").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/06 15:13
S3	6	("4264668" "5031380" "6044628").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/06 15:13
S4	15775	428/910 or 428/349 or 428/461 or 428/35.2 or 156/244.11 or 426/127 or 264/176.1 or 156/277 or 53/135.1	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/06 15:17
S5	53869	induction adj heat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/06 15:17
S6	4295933	metal	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/06 15:17
S7	22216	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/06 15:17
S8	162047	carbon adj black	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/06 16:44
S9	53869	induction adj heat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/06 16:44
S10	4295933	metal	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/06 16:44
S11	22216	S9 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/06 16:44
S12	22216	S9 and S11 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/06 16:44
S13	859	S11 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/06 16:44

S14	1876880	package or container	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/06 16:45
S15	285	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/06 16:45
S16	3840871	thermoplastic or plastic or polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/06 16:46
S17	236	S15 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/06 16:46
S18	17	"419139"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/07 14:00
S19	1	"0419139"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/07 14:00
S20	16	"4019139"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/07 14:01
S21	241478	kabushiki and kaisha	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/07 14:01
S22	23133	"1992" and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/07 14:01
S23	3285	S22 and jan\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/07 14:02
S24	52	S23 and aluminium	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/07 14:02
S25	74435	plating near5 layer	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:04
S26	4722965	metal or metallic	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:04
S27	51554	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:04
S28	3841749	thermoplastic or plastic or polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/07 14:05
S29	17421	S27 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:05

S30	11260	S29 and conductive	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:06
S31	1877499	package or container	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/07 14:07
S32	4498	S30 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:07
S33	52800	heat adj sealing	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:08
S34	27	S32 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:08
S35	1004	vapor adj disposition	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:21
S36	315599	vapor near5 deposit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:21
S37	316242	S35 or S36	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:21
S38	138956	S25 or electroplating	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:21
S39	140669	S38 or (electro adj plating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:22
S40	26395	S39 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:22
S41	24346	S40 and metal	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:22
S42	723	m32 and (metal or metallic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:22
S43	177	S42 and (package or container)	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:22
S44	8	"1129110"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:37
S45	3	"11029110"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:37

S46	6	"6044628"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:40
S47	14	"5031380"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 14:41
S48	74435	plating near5 layer	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 16:46
S49	1004	vapor adj disposition	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 16:46
S50	315599	vapor near5 deposit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 16:46
S51	316242	S49 or S50	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 16:46
S52	138956	S48 or electroplating	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 16:46
S53	140669	S52 or (electro adj plating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 16:46
S54	26395	S53 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 16:46
S55	1985	electroplating near (S51)	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 16:47
S56	399	S55 and (package or container)	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 16:47
S57	15783	428/910 or 428/349 or 428/461 or 428/35.2 or 156/244.11 or 426/127 or 264/176.1 or 156/277 or 53/135.1	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/07 16:50
S58	3	S56 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/07 16:50
S59	1004	vapor adj disposition	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/08 10:38
S60	315599	vapor near5 deposit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/08 10:38
S61	316242	S59 or S60	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/08 10:38

S62	13513	S61 near5 conduct\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/08 10:38
S63	53887	induction adj heat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/08 10:39
S64	141	S62 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/08 10:39
S65	2835	foil and S61 and (electroplating or (electro adj plating))	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/08 10:51
S66	72	S63 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/10/08 10:51
S67	6	"6044628"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/10/14 08:28
S68	16162	428/910 or 428/349 or 428/461 or 428/35.2 or 156/244.11 or 426/127 or 264/176.1 or 156/277 or 53/135.1	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2009/05/07 13:01
S69	55847	induction adj heat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:01
S70	233	S68 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:01
S71	16044	conductive adj filler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:02
S72	4474360	metal	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:02
S73	5641	S71 same S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:02
S74	1	S70 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:02
S75	82	S69 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:06

S76	49	S75 and polyethylene	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:11
S77	2122718	aluminum or silver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:25
S78	1791299	dendritic or scale or scaly or flake or flaky or flakey	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:26
S79	347002	S77 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:26
S80	3252	S79 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:26
S81	68	S80 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:26
S82	47	S81 and (polyolefin or polyethylene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:26
S83	193804	aluminum and silver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:47
S84	56257	S83 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:47
S85	31	S84 and S69 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 13:47
S86	2422	silver same S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:08
S87	36	S86 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:08
S88	23	S87 and (polyolefin or polyethylene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:08

S89	114743	silver same aluminum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:17
S90	4122	S89 same S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:17
S91	43	S90 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:17
S92	136	silver same S78 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:20
S93	3	"5354393"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:37
S94	0	high adj frequency adj electric adj field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:46
S95	4149	high adj frequency adj electric adj field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:46
S96	88849	conductive same silver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:46
S97	101	S95 and S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:46
S98	61	S97 and (polymer or polyolefin or polyethylene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:46
S99	4841	printing adj conductive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:54
S100	2815	S99 and (aluminum or silver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:54
S101	30	S100 and (S69 or S95)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 14:54

S102	7	"6044628"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2009/05/07 15:04
S103	3	S102 and (silver or aluminum or filler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/07 15:04
S104	55854	induction adj heat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2009/05/11 15:58
S105	12	S104 same2 (conductive adj ink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/11 15:58
S106	62282	heat adj sealing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/11 16:21
S107	1831	S106 same zones	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/11 16:21
S108	11998	conductive adj ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/11 16:22
S109	4	S107 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/11 16:22
S110	12003	conductive adj ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/12 16:18
S111	3421	S110 same (silver or aluminum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/12 16:18
S112	1005	S111 and thermoplastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/12 16:18
S113	223	S111 same2 flake	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/12 16:24
S114	96	S113 and thermoplastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/12 16:24

S115	1165	S110 same (aluminum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/12 16:55
S116	61	S115 same2 flake	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/12 16:55
S117	31	S116 and thermoplastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/12 16:55
S118	410	S115 and thermoplastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/12 16:56
S119	57809	induction adj heat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2009/12/04 11:38
S120	1628	S119 and (elongate or lengthen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/12/04 11:38
S121	221	S120 and web	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/12/04 11:38
S122	21	"419139"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/12/04 14:06
S123	10438	"1992" toyo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/12/04 14:09
S124	1810521	aluminium	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/12/04 14:09
S125	2281	S123 and S124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/12/04 14:09
S126	417	S125 and kaisha	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/12/04 14:10
S127	39737	trailing adj end	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2009/12/04 14:41

S128	99611	leading adj end	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2009/12/04 14:41
S129	1292	S127 same S128 same seal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2009/12/04 14:41
S130	57809	induction adj heat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2009/12/04 14:41
S131	5	S129 and S130	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2009/12/04 14:41
S132	475	S129 and (package or packing or container)	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2009/12/04 14:42
S133	39737	trailing adj end	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2009/12/05 16:57
S134	99611	leading adj end	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2009/12/05 16:57
S135	1292	S133 same S134 same seal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2009/12/05 16:57
S136	475	S135 and (package or packing or container)	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2009/12/05 16:57
S137	332	S136 and (plastic or polymer or thermoplastic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2009/12/05 16:57
S138	1	"10520255" and (end adj face)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/05/24 16:54
S139	1885	cut adj end adj face	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/05/24 16:58
S140	108560	heat adj seal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/05/24 16:58
S141	9	S139 and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/05/24 16:58
S142	16920	428/910 or 428/349 or 428/461 or 428/35.2 or 156/244.11 or 426/127 or 264/176.1 or 156/277 or 53/135.1	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2010/05/24 17:05

S143	3	S142 and S139	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/05/24 17:05
S144	1	"10520255" and (end adj face)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/05/26 15:29
S145	1	S144 and (thermoplastic adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/05/26 15:29

5/ 26/ 2010 5:01:19 PM

**C:\ Documents and Settings\ ekashnikow\ My Documents\ EAST\ Workspaces\ 10520255
Induction heating method.wsp**